



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/635,983	08/07/2003	Kenneth Allen Windhorst	C-7220	3873

7590
M. Susan Spiering
c/o Celanese Ltd
IP Legal Dept, IZIP 701
P. O. Box 428
Bishop, TX 78343

01/23/2008

EXAMINER

PUTTLITZ, KARL J

ART UNIT	PAPER NUMBER
----------	--------------

1621

MAIL DATE	DELIVERY MODE
-----------	---------------

01/23/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

The reply brief is noted the captioned application is being forwarded to the Board of Patent Appeals and Interferences for decision on the merits.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl J. Puttlitz whose telephone number is (571) 272-0645. The examiner can normally be reached on Monday to Friday from 9 a.m. to 5 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Yvonne Eyler, can be reached at telephone number (571) 272-0871. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Karl Puttlitz/
Karl Puttlitz
Primary Examiner
Art Unit 1621